

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

DIRT FINISHER

Creation date 28th June 2026 Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier DIRT FINISHER
Substance / mixture mixture
UFI NF40-N0K4-S00Q-FG9H

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Surface cleaner

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name XZONE SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ
Address LIGONIA 4, KRZYŻOWICE, 43-254
Poland
Phone +48508135568
Email Xzone@robertozon.com
Web address www.robertozon.com

1.4. Emergency telephone number

Poisoning information centre Freiburg, Mathildenstr. 1, 79106 Freiburg, emergency telephone: +49 761 19 240. Poisoning information centre, Erfurt, Nordhäuser Straße 74, 99089 Erfurt, Deutschland, tel.: +49 361 730 730. Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GIZ-Nord), Universitätsmedizin Göttingen, Georg-August-Universität, Robert-Koch-Straße 40, 37075 Göttingen, Tel.: +49 551 19 240.

Poisoning information centre, Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen, Langenbeckstraße 1, Gebäude 601, 55131 Mainz, tel.: + 49 613 119 240. Poisoning information centre, Charité-Universitätsmedizin, Campus Benjamin Franklin, Hindenburgdamm 30, 12203 Berlin, telephone: +49 30 19240. Informationszentrale gegen Vergiftungen am Universitätsklinikum Bonn, Zentrum für Kinder- und Jugendmedizin, Venusberg-Campus 1, 53127 Bonn, Tel.: +49 228 19 240.

Poisoning information centre, München, Ismaninger Str. 22, 81675 München, tel.: +49 89 19 240.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Sens. 1A, H317

Eye Irrit. 2, H319

Aquatic Chronic 3, H412

Most serious adverse effects on human health and the environment

May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram



Signal word

Warning

Hazardous substances

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

DIRT FINISHER

Creation date	28th June 2026	Version	1.0
---------------	----------------	---------	-----

Hazard statements

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands thoroughly after handling.
P280	Wear eye protection/protective gloves.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to according to applicable regulations.

Supplemental information

Composition according to (EC) No 648/2004, as amended: 5-<15 % non-ionic surfactants, <5 % anionic surfactants, <5 % EDTA and salts thereof, perfumes, 2-Bromo-2-Nitropropane-1,3-Diol, colorant

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25	propan-2-ol	≤10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	3, 4
Index: 607-428-00-2 CAS: 64-02-8 EC: 200-573-9	tetrasodium ethylene diamine tetraacetate	1-5	Acute Tox. 4, H302 Eye Dam. 1, H318	
CAS: 6132-04-3 EC: 612-118-5	trisodium 2-hydroxypropane-1,2,3-tricarboxylate dihydrate	<0.5	Eye Irrit. 2, H319	
CAS: 68515-73-1 EC: 500-220-1 Registration number: 01-2119488530-36	CAPRYLYL/CAPRYL GLUCOSIDE	0.25-0.5	Skin Irrit. 2, H315 Eye Dam. 1, H318	
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457610-43	ethanol	0.135-0.315	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 50 %	3
CAS: 144-55-8 EC: 205-633-8	sodium hydrogencarbonate	0.2	not classified as dangerous	

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

DIRT FINISHER

Creation date 28th June 2026 Version 1.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 68439-51-0 EC: 614-484-1	Alcohols, C12-14, ethoxylated propoxylated	0.05-0.2	Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
Index: 607-130-00-2 CAS: 123-92-2 EC: 204-662-3 Registration number: 01-2119548408-32	isopentyl acetate	0.009-0.036	Flam. Liq. 3, H226 EUH066	2, 3
Index: 603-085-00-8 CAS: 52-51-7 EC: 200-143-0	bronopol (INN)	0.0045- <0.015	Acute Tox. 4, H302+H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10)	
Index: 605-012-00-5 CAS: 100-52-7 EC: 202-860-4 Registration number: 01-2119455540-44-XXXX	benzaldehyde	<0.009	Acute Tox. 4, H302	
Index: 613-167-00-5 CAS: 55965-84-9	reaction mass of: 5-chloro-2- methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)	0.0015- <0.00375	Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 Specific concentration limit: Eye Irrit. 2, H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A, H317: C ≥ 0.0015 % Skin Irrit. 2, H315: 0.06 % ≤ C < 0.6 % Skin Corr. 1C, H314: C ≥ 0.6 % Eye Dam. 1, H318: C ≥ 0.6 %	1

Notes

- Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- A substance for which exposure limits are set.
- Substance for which biological limit values exist.

Full text of all classifications and hazard statements is given in the section 16.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

DIRT FINISHER

Creation date 28th June 2026 Version 1.0

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

DO NOT INDUCE VOMITING - even the induced vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

DIRT FINISHER

Creation date 28th June 2026 Version 1.0

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2000/39/EC

Substance name (component)	Type	Value
isopentyl acetate (CAS: 123-92-2)	OEL 8 hours	270 mg/m ³
	OEL 8 hours	50 ppm
	OEL 15 minutes	540 mg/m ³
	OEL 15 minutes	100 ppm

Germany

TRGS 900

Substance name (component)	Type	Value
propan-2-ol (CAS: 67-63-0)	8h	500 mg/m ³
	8h	200 ppm
	Short	1000 mg/m ³
	Short	400 ppm
ethanol (CAS: 64-17-5)	8h	380 mg/m ³
	8h	200 ppm
	Short	1520 mg/m ³
	Short	800 ppm
isopentyl acetate (CAS: 123-92-2)	8h	270 mg/m ³
	8h	50 ppm
	Short	270 mg/m ³
	Short	50 ppm

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

DIRT FINISHER

Creation date 28th June 2026 Version 1.0

Biological limit values

Germany

TRGS 903

Name	Parameter	Value	Tested material	Time of sampling
propan-2-ol (CAS: 67-63-0)	Acetone	25 mg/l	Blood	End of exposure or end of shift
		25 mg/l	Urine	

DNEL

benzaldehyde			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	6.3 mg/m ³	Chronic effects local
Workers	Inhalation	10.4 mg/m ³	Chronic effects systemic

isopentyl acetate			
Workers / consumers	Route of exposure	Value	Effect
Consumers	Inhalation	5.1 mg/m ³	Chronic effects systemic
Consumers	Dermal	1.47 mg/kg bw/day	Chronic effects systemic
Consumers	Oral	1.47 mg/kg bw/day	Chronic effects systemic
Workers	Inhalation	20.8 mg/m ³	Chronic effects systemic
Workers	Dermal	2.95 mg/kg bw/day	Chronic effects systemic

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Contaminated skin should be washed thoroughly.

Glove material	Thickness	Breakthrough time	Class
Neoprene (CR)	≥ 0.7 mm	>480 min	6

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	data not available
Odour	data not available

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

DIRT FINISHER

Creation date 28th June 2026 Version 1.0

Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	9 (undiluted)
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
propan-2-ol (CAS: 67-63-0)	43 hPa at 20 °C
Density and/or relative density	data not available
propan-2-ol (CAS: 67-63-0)	0.79 g/cm ³
Relative vapour density	data not available
Particle characteristics	data not available

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hazardous substances in concentrations exceeding exposure limits may cause acute inhalation poisoning, depending on the concentration and duration of exposure. No toxicological data is available for the mixture.

Acute toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

benzaldehyde						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	ATE		500 mg/kg bw			

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

DIRT FINISHER

Creation date 28th June 2026 Version 1.0

propan-2-ol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation (vapor)	LC ₅₀	OECD 403	>10000 ppm	6 hours	Rat	F/M

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		64-66 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD ₅₀		141 mg/kg		Rat (Rattus norvegicus)	

tetrasodium ethylene diamine tetraacetate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		3030 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD ₅₀		>5000 mg/kg		Rabbit	

trisodium 2-hydroxypropane-1,2,3-tricarboxylate dihydrate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		>2000 mg/kg		Rat (Rattus norvegicus)	

Skin corrosion/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Serious eye damage/irritation

Causes serious eye irritation.

propan-2-ol

Route of exposure	Result	Method	Exposure time	Species
Eye	Serious eye damage	OECD 405		Rabbit

Respiratory or skin sensitisation

May cause an allergic skin reaction.

propan-2-ol

Route of exposure	Result	Exposure time	Species	Sex
	Not sensitizing		Guinea-pig	F/M

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

DIRT FINISHER

Creation date 28th June 2026 Version 1.0

Germ cell mutagenicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

propan-2-ol				
Result	Exposure time	Specific target organ	Species	Sex
Negative without metabolic activation, Negative with metabolic activation		Ovaries	Guinea-pig	F/M

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

propan-2-ol					
Route of exposure	Parameter	Value	Result	Species	Sex
Inhalation (vapor)	NOEC	500 ppm		Rat (Rattus norvegicus)	F/M

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Acute toxicity

propan-2-ol				
Parameter	Value	Exposure time	Species	Environment
EC ₅₀	>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LC ₅₀	9640 mg/l	96 hours	Fish	Fresh water

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

DIRT FINISHER

Creation date	28th June 2026	Version	1.0
---------------	----------------	---------	-----

12.2. Persistence and degradability

No data are available for either the mixture or the components. The mixture is biodegradable.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Law on the placing on the market, return and high-quality recycling of packaging (Packaging Act - VerpackG) of June 9th, 2021, valid from January 1st, 2022. Ordinance on the European List of Waste (German Waste Catalogue Ordinance -Verordnung über das Europäische Abfallverzeichnis - AVV). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

DIRT FINISHER

Creation date 28th June 2026 Version 1.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prevention Act. Ordinance on facilities for handling substances that are hazardous to water (AwSV) of 18 April 2017. Protection of Young Persons (Employment) Act (Child Labor Law - JArbSchG). Ordinance on protection against hazardous substances (Hazardous Substances Ordinance - GefStoffV). Technical Instructions on Air Quality Control. Act on protection against dangerous substances and preparations (Chemicals Act - ChemG). Ordinance to protect the climate from changes caused by the input of certain fluorinated greenhouse gases (Chemicals Climate Protection Ordinance - ChemKlimaschutzV). Act on the implementation of occupational safety and health measures to improve workplace safety and health. TRGS 900. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

EUH066	Repeated exposure may cause skin dryness or cracking.
EUH071	Corrosive to the respiratory tract.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H302+H312	Harmful if swallowed or in contact with skin.
H310+H330	Fatal in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands thoroughly after handling.
P280	Wear eye protection/protective gloves.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to according to applicable regulations.

Other important information about human health protection

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

DIRT FINISHER

Creation date	28th June 2026	Version	1.0
---------------	----------------	---------	-----

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox.	Acute toxicity
ADR	Agreement concerning the international carriage of dangerous goods by road
AGW	Occupational Exposure Limits
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
ATE	Acute toxicity estimate
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50 % of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EU	European Union
EuPCS	European Product Categorisation System
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
MAK	Maximum workplace concentration
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

DIRT FINISHER

Creation date	28th June 2026	Version	1.0
---------------	----------------	---------	-----

UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection.
The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations.
The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.